



PROTECTING WHAT YOU LOVE.

BESPOKE SAFES SINCE 1978  
**STOCKINGER**



MADE IN GERMANY.

BESPOKE SAFES SINCE 1978  
**STOCKINGER**

THE WORLD'S  
FINEST BESPOKE  
LUXURY SAFES.



Whenever Stockinger develops a new safe, we have a clear aim: To build the world's finest bespoke safe.

Uncompromising security; perfect craftsmanship; totally individual exterior and interior design.

Masterpieces for people that are only satisfied by the best.

Thus, Stockinger safes have a home in the high nobilities' residences as well as in the villas and yachts of top-athletes and film stars, businessmen's penthouses, and private collectors' lofts. Customers whom we value more than anything, but whom we would never talk about – discretion is sacred to us.

MADE IN GERMANY.

## SECURITY IN ITS MOST BEAUTIFUL FORM. SINCE 1978.

When Hans Stockinger started building safes in Munich in 1978, he had a vision: He did not only want to build the world's most secure safes, but the world's most beautiful safes as well.

Safes that integrate perfectly into elegant private interiors and that were meant to free the valuable collections of passionate owners of jewelry, watches and art from grey safe deposit boxes and cellar safes.

Today, more than 40 years later, this vision is as alive as before, and is mirrored in every detail of our safes.

## AS SECURE AS YOUR BANK. YET FAR MORE BEAUTIFUL.

All over the world, demanding collectors entrust our safes with their most valuable pieces. And deservedly so.

Because thanks to their unique construction, armoring and the patented locking system, Stockinger safes fulfill the highest requirements. Stockinger safes are in Switzerland classified as SSV type

"cash cabinet list II" or "safe list I". The security classification of the insurance company association "Verband deutscher Sachversicherer" is VDS III, IV or V (CD), based on EU Norm 1143-1 and corresponds to that of banks.

The result: No Stockinger safe could ever be opened by force. And we will do anything to keep it that way.



## MASTERPIECES FROM THE MASTERS' HANDS.

More than 30 experts participate in the production of one Stockinger safe: Industrial and graphic designers, metal workers and varnishers, saddlers and sewers. All components are hand made in Germany or Switzerland.

Whether you are passionate for watches, jewelry, art or objects of design: We will realize tailor-made matching safes of craftsman's perfection.

BESPOKE SAFES SINCE 1978  
**STOCKINGER**







## YOUR LIFE. YOUR STYLE. YOUR SAFE.

Your style is unique. Why should you content yourself with an off-the-peg safe? Each safe leaving our manufacture is tailor made and corresponds on its entire esthetic exactly to the style and passion of its new owner.

### EXTERIOR

A safe in the exact color of your darling car? No problem. Surface colors and structures, handles, fittings, applications – almost any wish can be fulfilled. Innumerable design variants can be realized in our manufacture. They all have in common the claim to craftsman's perfection in their embodiment and finish. For example, incomparable color depth is generated by up to 18 layers of varnish – more than for a Steinway grand piano.

### INTERIOR

Our passion for detail is shown by the tailor-made interior equipment: Drawers of vaporized stainless steel contain bespoke inserts for e.g. jewelry, watches, documents, art or weapons. And the world's best watch winders control every single automatic watch individually, exactly pursuant to the respective model specifications.

### MULTI-WALL CONSTRUCTION

Their multi-wall construction enables Stockinger safes to give maximum security at minimum weight. For armoring, an ultra-hard mixture of special polymers, among others, is used, having one to six times the hardness of common armoring.

### OVERLEAF LOCKING

A security-bolt mechanism will lock each Stockinger safe at every four sides. Trying to open the safe by force will permanently lock all bolts.

### STOCKTRONIC

The patented Stocktronic locking system guarantees security and, at the same time, gives excellent operating comfort. Pressing the Stockinger logo at the upper part of the cabinet will have an "invisibly" arranged operating chest.

### NETWORK INDEPENDENT

An integrated battery system makes the locking system independent from the external power supply.

### SILENT ALARM


Stockinger safes will not only give highest security to the objects kept inside the safe – but also to you personally. In a threatening situation, the input of a specific code at the Stocktronic control panel may send a "silent alarm" as emergency signal.







At 5 basic sizes for private persons and 3 special models for hotels, Stockinger offers matching safe solutions for the most varied demands.





FOR DEMANDING GUESTS

# HOTEL SAFE

Contrary to common hotel safes, the smallest Stockinger model does not have to be hidden. Thanks to its clear modern design and its top-notch manufacture, it matches any design-oriented hotel interior perfectly.



INDIVIDUAL DESIGN

Exterior

- Varnish: Black or white is standard
- Any RAL or automotive color available/surcharge
- Multi-color varnish available/surcharge
- Lacquering finish: Structured matt varnish is standard
- High gloss, silk matt or matt finish available/surcharge
- Door front in Stockinger Gold or Silver; other colors available/surcharge
- Operating unit in Stockinger Gold or Silver; other colors available/surcharge



Interior

- Black Suede on the bottom of the safe is standard; other Suede colors available/surcharge
- Suede cover on back wall available/surcharge
- Inner door cover in Stockinger Gold or Silver; other colors available/surcharge
- Engravings (initials, name, logo, etc.) on inner door cover available/surcharge
- Top-notch inserts for jewelry and watches, covered in Suede, available/surcharge
- LED lighting & 5V USB charger available/surcharge



HOTEL SAFE

# HOTEL SAFE



TECHNICAL DETAILS

- Dimensions (HxWxD): 25 x 45 x 35 cm (+ 4 cm control panel)
- Dimensions (HxWxD): 9.8 x 17.7 x 13.8 inches (+ 1.6" control panel)
- Net weight: ca. 26 kg/57 lbs
- Hinges on the right side standard, left side available/surcharge
- Electronic locking system: Primor 3200 with emergency key
- Lock: CAWI Twin Lock, motor-drive mechanism with 100% redundancy
- 1 master code for the hotel management
- Four-digit security code, individually changeable by each guest
- Bolting possibility on the base of the safe
- Power supply via 9V monoblock battery (electronic locking system)
- The power supply of the safe is SELV (Safety Extra Low Voltage) of 12-24V. Our clients are receiving a high-quality power supply (110-240V) upon delivery (for LED lighting and 5V USB charger).

# THE SMART LUXURY SAFE FOR HOTELS, YACHTS AND PRIVATE HOMES

## HOTEL SAFE II

This elegant small luxury safe, the latest Stockinger model, combines effortless design with security. Thanks to its clear modern look and top-notch manufacture, it perfectly matches any design-oriented hotel interior, yacht or private home.

The bespoke interior, covered in finest Stockinger Suede, offers generous space for documents, personal valuables and up to 3 precision watch winders for the Haute Horlogerie of your esteemed guests or your own precious collections.



### INDIVIDUAL DESIGN

#### Exterior



- Varnish: Black is standard
- Any RAL or automotive color available/surcharge
- Multi-color varnish available/surcharge
- Lacquering finish: Structured matt varnish is standard
- High gloss, silk matt or matt finish available/surcharge
- Door front in Stockinger Gold or Silver; other colors available/surcharge
- Operating unit in Stockinger Gold or Silver; other colors available/surcharge

#### Interior

- Interior in Stockinger Gold or Silver; other colors available/surcharge
- Engravings (initials, name, logo, etc.) on inner door cover available/surcharge
- Black Suede is standard
- Any Stockinger Suede color available/surcharge
- Suede cover on back wall available/surcharge
- 3 precision watch winders per deck available/surcharge
- Removable jewelry insert available/surcharge
- Watch winder front covered in Suede available/surcharge
- LED lighting & 5V USB charger available/surcharge



## HOTEL SAFE II



### TECHNICAL DETAILS

- Dimensions (HxWxD): 39,5 x 45 x 39 cm (incl. handle & control panel)
- Dimensions (HxWxD): 15.5 x 17.7 x 15.3 inches (incl. handle & control panel)
- Net weight: ca. 39 kg/85.9 lbs
- Hinges on the right-side standard, left side available/surcharge
- Electronic locking system: Primor 3.200 with emergency key
- Lock: CAWI Twin Lock, motor-drive mechanism with 100% redundancy
- Safe Log System: IT-Protocol of all openings & closings incl. date & time available/surcharge
- 1 master code for the hotel management/owner
- Four-digit security code, individually changeable by each guest
- Bolting possibility on the base of the safe
- Power supply via 9V monoblock battery (electronic locking system)
- The power supply of the safe is SELV (Safety Extra Low Voltage) of 12-24V. Our clients are receiving a high-quality power supply (110-240V) upon delivery (for LED lighting, precision watch winders and 5V USB charger).

AT HOME IN THE WORLD’S LEADING HOTELS & CHALETs

HOTEL CUBE

Probably the world’s most exclusive hotel safe: Several layers of high-gloss varnish, combined with a fully chromium- or 24K gold-plated handle of massive brass, the Stockinger Hotel Cube looks timelessly elegant.

The bespoke interior offers generous space for documents and personal valuables, several drawers covered in finest Stockinger Suede, with up to 3 precision watch winders for the Haute Horlogerie of your esteemed guests.



INDIVIDUAL DESIGN

Exterior

- Varnish: Exterior and door in RAL 9005 black high gloss varnish is standard
- Any RAL or automotive color available/surcharge
- Multi-color varnish available/surcharge
- Lacquering finish: High gloss is standard, silk matt or matt finish available/surcharge
- Handle in Stockinger Gold (24K gold-plated) or Silver (chromium-plated) milled full brass; other colors available/surcharge
- Engravings (initials, name, logo, etc.) on handle available/surcharge
- Operating unit in Stockinger Gold or Silver; other colors available/surcharge


Interior

- Interior in Stockinger Gold or Silver; other colors available/surcharge
- Engravings (initials, name, logo, etc.) on inner door cover available/surcharge
- 2 drawers (H=6 & 8 cm/2.3 & 3.1 inches) covered in Stockinger Suede”Anthracite grey”
- 4 different drawer heights (6/8/10/14 cm // 2.3/3.1/3.9/5.5 inches) available/surcharge
- Other Stockinger Suede colors available/surcharge
- Seamed leather handles for drawer(s) available/surcharge
- Top-notch inserts for jewelry and watches, covered in Suede, available/surcharge
- 3 precision watch winders per deck available/surcharge (H=16 cm/6.3 inches)
- 6 precision watch winders per deck available/surcharge (H=24 cm/9.4 inches)
- LED lighting & 5V USB charger (with watch winder deck only) available/surcharge



HOTEL CUBE

HOTEL CUBE



TECHNICAL DETAILS

- Dimensions (HxWxD): 59,5 x 52 x 51 cm (+ 7 cm handle)
- Dimensions (HxWxD): 23.4 x 20.5 x 20.1 inches (+ 2.8" handle)
- Plinth (H=25,6cm/10.1 inches) & bespoke plinths available/surcharge
- Security level: Built pursuant to VDS I/EN 1143-1
- Net weight: ca. 125 kg/275 lbs
- Maximum working interior height: 35 cm/14 inches
- Volume: ca. 49 l
- Hinges on the right side standard, left side available/surcharge
- Electronic locking system: Primor 3200 with emergency key
- Lock: CAWI Twin Lock, motor-drive mechanism with 100% redundancy
- 1 master code for the hotel management
- Four-digit security code, individually changeable by each guest
- Bolting possibility on the base of the safe
- Fire protection: High temperature fire sealant, melting point > 1.000°C/DIN 4101 A1
- Power supply via 9V monoblock battery (electronic locking system)
- The power supply of the safe is SELV (Safety Extra Low Voltage) of 12-24V. Our clients are receiving a high-quality power supply (110-240V) upon delivery (for watch winders, LED lighting and 5V USB charger).



MAXIMUM SECURITY ON MINIMUM SPACE

CUBE

Perfect for private residences, holiday homes or yachts: The Cube compact safe has the complete security equipment of our “large” Stockinger safes including the Stocktronic locking system and can completely be individualized just like its bigger brothers, with up to 3 precision watch winders for your Haute Horlogerie.



INDIVIDUAL DESIGN

Limited editions  
AQUAMARINE | PLATINUM SERIES

Exterior


- Varnish: Any RAL or automotive color available
- Multi-color varnish (personalisations, monograms, initials, etc.) available/surcharge
- Lacquering finish: High gloss is standard, silk matt or matt finish available/surcharge
- Handle in Stockinger Gold (24K gold-plated) or Silver (chromium-plated) milled full brass; other colors available/surcharge
- Bespoke handles available/surcharge
- Engravings (initials, name, logo, etc.) on handle available/surcharge

Interior

- Interior in Stockinger Gold or Silver; other colors available/surcharge
- Engravings (initials, name, logo, etc.) on inner door cover available/surcharge
- 4 different drawer heights (6/8/10/14 cm // 2.3/3.1/3.9/5.5 inches) available
- Drawer fronts in carbon fibre, varnish, wood/veneer or quilted leather available/surcharge
- Seamed leather handles for drawer(s) available/surcharge
- Top-notch inserts for jewelry and watches, covered in Suede, available/surcharge
- Free selection of Stockinger Suede, ca. 80 different colors
- Free selection of shelves, fixed or height adjustable (H=2 cm/0.7 inches) with Suede cover
- 3 precision watch winders per deck available/surcharge (H=16 cm/6.3 inches)
- 6 precision watch winders per deck available/surcharge (H=24 cm/9.4 inches)
- LED lighting is standard (electronic control via an optical sensor)



CUBE



TECHNICAL DETAILS

- Dimensions (HxWxD): 67,5 x 52 x 51 cm (+ 7 cm handle)
- Dimensions (HxWxD): 26.6 x 20.5 x 20.1 inches (+ 2.8" handle)
- Armored plinth (H=25,6 cm/10.1 inches) & bespoke plinths available/surcharge
- Security level: VDS III/EN 1143-1 certified
- TRYDTON© armored protection incl. corundum stones for door drill- and diamond core drill protection
- All-round locking system (VDS III): A security-bolt mechanism locks (Ø=40mm/1.6 inches steel bolts) each Stockinger safe on all four sides. Trying to open the safe by force will permanently lock all bolts.
- Net weight (VDS III): ca. 240 kg/529 lbs
- Maximum working interior height: 35 cm/14 inches
- Volume: ca. 49 l
- Hinges on the right side standard, left side available/surcharge
- Electronic locking system: Stocktronic (eight-digit numerical code/VDS III)
- Lock: PAXOS Compact, motor-drive mechanism with 100% redundancy
- Integrated IT interface for silent alarm/connection to the house alarm system
- Bolting possibility on the base of the safe
- Fire protection: High temperature fire sealant, melting point > 1.000°C/DIN 4101 A1
- The power supply of the safe is SELV (Safety Extra Low Voltage) of 12-24V. Our clients are receiving a high-quality power supply (110-240V) upon delivery (for watch winders and LED lighting).



# THE COMPACT LUXURY SAFE

## SIRIUS

This exclusive bespoke safe model is an elegant solution to keep your collections of precious watches, finest jewelry, pieces of art, documents, etc. safe. The Sirius safe harmonically integrates into any customized private residence, executive office, yacht or luxury suite. As secure as a bank, yet far more beautiful.



### INDIVIDUAL DESIGN

**Limited editions**  
AQUAMARINE | PLATINUM SERIES | CARBON | IMPERIAL

#### Exterior

- Varnish: Any RAL or automotive color available
- Multi-color varnish (personalisations, monograms, initials, etc.) available/surcharge
- Lacquering finish: High gloss is standard, silk matt or matt finish available/surcharge
- Handle in Stockinger Gold (24K gold-plated) or Silver (chromium-plated) milled full brass; other colors available/surcharge
- Bespoke handles available/surcharge
- Engravings (initials, name, logo, etc.) on handle available/surcharge



#### Interior

- Interior in Stockinger Gold or Silver; other colors available/surcharge
- Engravings (initials, name, logo, etc.) on inner door cover available/surcharge
- 4 different drawer heights (6/8/10/14 cm // 2.3/3.1/3.9/5.5 inches) available
- Drawer fronts in carbon fibre, varnish, wood/veneer or quilted leather available/surcharge
- Seamed leather handles for drawer(s) available/surcharge
- Top-notch inserts for jewelry and watches, covered in Suede, available/surcharge
- Free selection of Stockinger Suede, ca. 80 different colors
- Free selection of shelves, fixed or height adjustable (H=2 cm/0.7 inches) with Suede cover
- 3 precision watch winders per deck available/surcharge (H=16 cm/6.3 inches)
- 6 precision watch winders per deck available/surcharge (H=24 cm/9.4 inches)
- 12 precision watch winders (in 2 decks) available/surcharge (H=46 cm/18.1 inches)
- LED lighting is standard (electronic control via an optical sensor)



SIRIUS

SIRIUS



### TECHNICAL DETAILS

- Dimensions (HxWxD): 94 x 52 x 51 cm (+ 7 cm handle); bespoke heights available/surcharge
- Dimensions (HxWxD): 37 x 20.5 x 20.1 inches (+ 2.8" handle); bespoke heights available/surcharge
- Armored plinth (H=25,6 cm/10.1 inches) & bespoke plinths available/surcharge
- Security levels: VDS III/EN 1143-1 certified (standard); VDS IV/EN 1143-1 certified available/surcharge
- TRYDTON® armored protection incl. corundum stones for door drill- and diamond core drill protection
- Seismic detector systems available/surcharge
- All-round locking system (VDS III): A security-bolt mechanism locks (Ø=40mm/1.6 inches steel bolts) each Stockinger safe on all four sides. Trying to open the safe by force will permanently lock all bolts.
- Net weight (VDS III): ca. 360 kg/793 lbs
- Maximum working interior height: 62 cm/24 inches
- Volume: ca. 80 l
- Hinges on the right side standard, left side available/surcharge
- Electronic locking system: Stocktronic (eight-digit numerical code/VDS III)
- Lock: PAXOS Compact, motor-drive mechanism with 100% redundancy
- Integrated IT interface for silent alarm/connection to the house alarm system
- Bolting possibility on the base of the safe
- Fire protection: High temperature fire sealant, melting point > 1.000°C/DIN 4101 A1
- The power supply of the safe is SELV (Safety Extra Low Voltage) of 12-24V. Our clients are receiving a high-quality power supply (110-240V) upon delivery (for watch winders and LED lighting).



# THE PERFECT WATCH SAFE

## HYAS

Specifically developed for the needs of serious watch collectors, the Hyas safe offers a lot of space for the secure and representative storing of your collection including 18 to 54 watch winders. The double-winged door is multi-walled therein and locked with a specific security system at all 8 sides.



### INDIVIDUAL DESIGN

**Limited editions**  
AQUAMARINE | PLATINUM SERIES | IMPERIAL

#### Exterior

- Wood: Any kind of wood & color available
- Varnish: Any RAL or automotive color available
- Multi-color varnish (personalisations, monograms, initials, etc.) available/surcharge
- Lacquering finish: High gloss is standard, silk matt or matt finish available/surcharge
- Handle in Stockinger Gold (24K gold-plated) or Silver (chromium-plated) milled full brass; other colors available/surcharge
- Bespoke handles available/surcharge
- Engravings (initials, name, logo, etc.) on handles available/surcharge


#### Interior

- Interior in any kind of wood & color available
- 8 or more drawers available
- Drawer fronts in carbon fibre, varnish, wood/veneer or quilted leather available/surcharge
- Top-notch inserts for jewelry and watches, covered in Suede, available/surcharge
- Free selection of Stockinger Suede, ca. 80 different colors
- 18 precision watch winders per deck available/surcharge (in a drawer with a glass front)
- 36 precision watch winders (in 2 decks) available/surcharge (in 2 drawers with a glass front)
- 54 precision watch winders (in 3 decks) available/surcharge (in 3 drawers with a glass front)
- LED lighting is standard (electronic control via an optical sensor)



HYAS

## HYAS



### TECHNICAL DETAILS

- Dimensions "wood" (HxWxD): 107 x 126 x 78 cm (plus 7 cm handle)
- Dimensions "wood" (HxWxD): 42.1 x 49.6 x 30.7 inches (+ 2.8" handle)
- Dimensions "varnish" (HxWxD): 102 x 116 x 73 cm (plus 7 cm handle)
- Dimensions "varnish" (HxWxD): 40.2 x 45.7 x 28.8 inches (+ 2.8" handle)
- Security level: Built pursuant to VDS III/EN 1143-1
- TRYDTON© armored protection incl. corundum stones for door drill- and diamond core drill protection
- Seismic detector systems available/surcharge
- All-round locking system (VDS III): A security-bolt mechanism locks (Ø=40mm/1.6 inches steel bolts) each Stockinger safe on all four sides. Trying to open the safe by force will permanently lock all bolts.
- Net weight: ca. 980 kg/2,160 lbs (wood) // ca. 940 kg/2,072 lbs (varnish)
- Maximum working interior height: 76,4 cm/30 inches
- Volume: ca. 210 l
- Electronic locking system: Stocktronic (eight-digit numerical code)
- Lock: PAXOS Compact, motor-drive mechanism with 100% redundancy
- Integrated IT interface for silent alarm/connection to the house alarm system
- Bolting possibility on the base of the safe
- Fire protection: High temperature fire sealant, melting point > 1.000°C/DIN 4101 A1
- The power supply of the safe is SELV (Safety Extra Low Voltage) of 12-24V. Our clients are receiving a high-quality power supply (110-240V) upon delivery (for watch winders and LED lighting).



# THE STATE-OF-THE-ART SAFE FOR EXCLUSIVE RESIDENCES

## CHIMERA

The Chimera safe is the epitome of a private safe – impressive and representative. With up to 40 precision watch winders and/or several drawers, it offers generous space for precious watches, jewelry as well as documents, cash and other valuables.



### INDIVIDUAL DESIGN

**Limited editions**  
AQUAMARINE | PLATINUM SERIES | CARBON | IMPERIAL

#### Exterior



- Varnish: Any RAL or automotive color available
- Multi-color varnish (personalisations, monograms, initials, etc.) available/surcharge
- Lacquering finish: High gloss is standard, silk matt or matt finish available/surcharge
- Handle in Stockinger Gold (24K gold-plated) or Silver (chromium-plated) milled full brass; other colors available/surcharge
- Bespoke handles available/surcharge
- Engravings (initials, name, logo, etc.) on handle available/surcharge

#### Interior

- Interior in Stockinger Gold or Silver; other colors available/surcharge
- Engravings (initials, name, logo, etc.) on inner door cover available/surcharge
- 4 different drawer heights (6/8/10/14 cm // 2.3/3.1/3.9/5.5 inches) available
- Drawer fronts in carbon fibre, varnish, wood/veneer or quilted leather available/surcharge
- Seamed leather handles for drawer(s) available/surcharge
- Top-notch inserts for jewelry and watches, covered in Suede, available/surcharge
- Free selection of Stockinger Suede, ca. 80 different colors
- Free selection of shelves, fixed or height adjustable (H=2 cm/0.7 inches) with Suede cover
- 10 precision watch winders per deck available/surcharge (H=24 cm/9.4 inches)
- 20 precision watch winders (in 2 decks) available/surcharge (H=46 cm/18.1 inches)
- 30 precision watch winders (in 3 decks) available/surcharge (H=68 cm/26.7 inches)
- 40 precision watch winders (in 4 decks) available/surcharge (H=90 cm/35.4 inches)
- LED lighting is standard (electronic control via an optical sensor)



## CHIMERA



### TECHNICAL DETAILS

- Dimensions (HxWxD): 126,5 x 66,5 x 55,5 cm (+ 7 cm handle); bespoke heights available/surcharge
- Dimensions (HxWxD): 49.8 x 26.2 x 21.9 inches (+ 2.8" handle); bespoke heights available/surcharge
- Armored plinth (H=25,6 cm/10.1 inches) & bespoke plinths available/surcharge
- Security levels: VDS III/EN 1143-1 certified (standard); VDS IV/EN 1143-1 certified available/surcharge
- TRYDTON® armored protection incl. corundum stones for door drill- and diamond core drill protection
- Seismic detector systems available/surcharge
- All-round locking system (VDS III): A security-bolt mechanism locks (Ø=40mm/1.6 inches steel bolts) each Stockinger safe on all four sides. Trying to open the safe by force will permanently lock all bolts.
- Net weight (VDS III): ca. 580 kg/1,278 lbs
- Maximum working interior height: 94 cm/37 inches
- Volume: ca. 185 l
- Hinges on the right side standard, left side available/surcharge
- Electronic locking system: Stocktronic (eight-digit numerical code/VDS III)
- Lock: PAXOS Compact, motor-drive mechanism with 100% redundancy
- Integrated IT interface for silent alarm/connection to the house alarm system
- Bolting possibility on the base of the safe
- Fire protection: High temperature fire sealant, melting point > 1.000°C/DIN 4101 A1
- The power supply of the safe is SELV (Safety Extra Low Voltage) of 12-24V. Our clients are receiving a high-quality power supply (110-240V) upon delivery (for watch winders and LED lighting).



# THE NON-PLUS ULTRA OF BESPOKE LUXURY SAFES

## PHOENIX

The Phoenix, our largest safe model, can be fully individualized for any collection of precious jewelry, extensive Haute Horlogerie, artworks, documents or other collectables. This impressive safe can hold up to 70 precision watch winders or numerous drawers and shelves in order to store the valuables you love in a perfect structure.



### INDIVIDUAL DESIGN

**Limited editions**  
PLATINUM SERIES | CARBON | IMPERIAL

#### Exterior

- Varnish: Any RAL or automotive color available
- Multi-color varnish (personalisations, monograms, initials, etc.) available/surcharge
- Lacquering finish: High gloss is standard, silk matt or matt finish available/surcharge
- Handle in Stockinger Gold (24K gold-plated) or Silver (chromium-plated) milled full brass; other colors available/surcharge
- Bespoke handles available/surcharge
- Engravings (initials, name, logo, etc.) on handle available/surcharge


#### Interior

- Interior in Stockinger Gold or Silver; other colors available/surcharge
- Engravings (initials, name, logo, etc.) on inner door cover available/surcharge
- 5 different drawer heights (6/8/10/12/14 cm // 2.3/3.1/3.9/4.7/5.5 inches) available
- Drawer fronts in carbon fibre, varnish, wood/veneer or quilted leather available/surcharge
- Seamed leather handles for drawer(s) available/surcharge
- Top-notch inserts for jewelry and watches, covered in Suede, available/surcharge
- Free selection of Stockinger Suede, ca. 80 different colors
- Free selection of shelves, fixed or height adjustable (H=2 cm/0.7 inches) with Suede cover
- 14 precision watch winders per deck available/surcharge (H=24 cm/9.4 inches)
- 28 precision watch winders (in 2 decks) available/surcharge (H=46 cm/18.1 inches)
- 42 precision watch winders (in 3 decks) available/surcharge (H=68 cm/26.7 inches)
- 56 precision watch winders (in 4 decks) available/surcharge (H=90 cm/35.4 inches)
- 70 precision watch winders (in 5 decks) available/surcharge (H=112 cm/44.0 inches)
- LED lighting is standard (electronic control via an optical sensor)



PHOENIX

## PHOENIX



### TECHNICAL DETAILS

- Dimensions (HxWxD): 150 x 82 x 64 cm (+ 7 cm handle); bespoke heights available/surcharge
- Dimensions (HxWxD): 59.1 x 32.3 x 25.2 inches (+ 2.8" handle); bespoke heights available/surcharge
- Security levels: VDS III/EN 1143-1 certified (standard); VDS IV/EN 1143-1 certified available/surcharge; VDS V CD/EN 1143-1 certified available / surcharge
- TRYDTON® armored protection incl. corundum stones for door drill- and diamond core drill protection
- Seismic detector systems available/surcharge
- All-round locking system (VDS III): A security-bolt mechanism locks (Ø=40mm/1.6 inches steel bolts) each Stockinger safe on all four sides. Trying to open the safe by force will permanently lock all bolts.
- Net weight (VDS III): ca. 860 kg/1,895 lbs
- Maximum working interior height: 118 cm/47 inches
- Volume: ca. 353 l
- Hinges on the right side standard, left side available/surcharge
- Electronic locking system: Stocktronic (eight-digit numerical code/VDS III)
- Lock: PAXOS Compact, motor-drive mechanism with 100% redundancy
- Integrated IT interface for silent alarm/connection to the house alarm system
- Bolting possibility on the base of the safe
- Fire protection: High temperature fire sealant, melting point > 1.000°C/DIN 4101 A1
- The power supply of the safe is SELV (Safety Extra Low Voltage) of 12-24V. Our clients are receiving a high-quality power supply (110-240V) upon delivery (for watch winders and LED lighting).



FOR PASSIONATE HUNTERS

# GUN CABINET

Our finest bespoke Gun Cabinets, with impeccable quality in every aspect, have been specifically designed for sophisticated hunters. They not only offer the perfect storage for up to 8 rifles, pistols and ammunition – they can also contain several lockable drawers as well as precious watch winder modules.



## INDIVIDUAL DESIGN

### Exterior

- Varnish: Any RAL or automotive color available
- Multi-color varnish (personalisations, monograms, initials, etc.) available/surcharge
- Lacquering finish: High gloss is standard, silk matt or matt finish available/surcharge
- Handle in Stockinger Gold (24K gold-plated) or Silver (chromium-plated) milled full brass; other colors available/surcharge
- Bespoke handles available/surcharge
- Engravings (initials, name, logo, etc.) on handle available/surcharge
- Operating unit in Stockinger Gold or Silver; other colors available/surcharge


### Interior

- Interior design according to our clients requirements
- Any kind of wood, quilted or seamed leather, color and fabric available
- Mount for up to 8 rifles
- 3 small drawers (H=10,5 cm/4.1 inches) for pistols
- 1 large drawer (H=29,5 cm/11.6 inches), laid out with quilted calfskin, etc.
- Drawer fronts in carbon fibre, varnish, wood/veneer or quilted leather available/surcharge
- 1 separately lockable interior drawer for ammunition
- Precision watch winder module with 6 (or more) watch winders available/surcharge
- Top-notch inserts for jewelry and watches, covered in Suede, available/surcharge
- Free selection of Stockinger Suede, ca. 80 different colors
- LED lighting is standard (electronic control via an optical sensor)



GUN CABINET

# GUN CABINET



## TECHNICAL DETAILS

- Dimensions (HxWxD): 165,5 x 115,5 x 55 cm (plus 7 cm handle)
- Dimensions (HxWxD): 65.1 x 45.4 x 21.7 inches (plus 2.8" handle)
- Plinth (H=25,6cm/10.1 inches) & bespoke plinths available/surcharge
- Security level: ECBS 1 certified
- All-round locking system: A security-bolt mechanism locks the Gun Cabinet on all four sides.
- Net weight (ECBS 1): ca. 400 kg/881 lbs
- Maximum working interior height: 155 cm/61 inches
- Electronic locking system: Biometric fingerprint scanner or Primor 3200 (numerical code)
- Bolting possibility on the back wall of the Gun Cabinet
- The power supply of the safe is SELV (Safety Extra Low Voltage) of 12-24V. Our clients are receiving a high-quality power supply (110-240V) upon delivery (for watch winders and LED lighting).



MORE ROOM FOR YOUR SELECTION

# SAFE ROOMS

Valuable collections do not only want to be stored safely but also be presented in the best possible way. If a Stockinger safe is too small for your collection, we will develop individual safe rooms.

To perfectly protect the access, the admission systems are based on just as demanding security concepts as in our safes. And, of course, our design specialists will take care of the matching interior design, with tailor-made showcases for objects of art and jewelry, document drawers, weapon cabinets or watch winders.

**Discretion has preference.**

Safe rooms are always subject to uttermost secrecy. Therefore, we kindly ask you to understand that, for reasons of discretion, we cannot publish any photos or detailed information regarding realized safe rooms.


If you are interested in your own safe room, our CEO, Mr. Matthias Fitzthum, is available for a personal conversation. He is gladly at your service via his mobile phone at +49 151 564 23 149 or e-mail: mf@stockinger.com

**BESPOKE SECURITY FEATURES**

- Protection against drones/air defence systems
- Intruder alarm systems
- Dead man switches for security guards
- Video monitoring systems/infrared cameras
- Nebulisation systems/irritant gas in anteroom(s)
- Fire extinguishing systems
- Gas detection systems in fresh air inlet openings
- Oxygen emergency supply
- Satellite telephone/emergency communication
- Fire dampers for fresh air ventilation systems
- Emergency power incl. lighting
- Any other defence- & tactical action required



SAFE ROOMS





HIGHEST PRECISION FOR YOUR HAUTE HORLOGERIE

WATCH WINDERS

Collectors of top-notch automatic watches know that the best watch speeds can only be achieved if the barrel tension is always in the optimum range. But this is exactly what differs between models.

Cooperating with Erwin Sattler Manufacture in Munich, we are able to equip our safes and cabinets with high-precision watch winders. The Sattler-Beluwo® technology – protected by the German Patent and Trademark Office – guarantees technical perfection and uttermost comfort: Each drum has its own motor and can be programmed individually to move your watches independently but always as good as possible. An integrated data base with more than 10.000 wrist watches guarantees the optimal movement rhythm for each model. Number of rotations, rotation direction, active and idling phases, each detail exactly corresponds to the specifications set by the manufacturer. Programming is simply WLAN effected via Smartphone or tablet PC.

**Perfectly integrated:**  
**Stockinger watch winders for safes.**

Every Stockinger Safe can be equipped with high-precision watch winder modules and is thus made a perfect watch safe. Tailor-made for the respective safe models, up to 70 wrist watches can be stored securely and be moved in the respectively optimal frequency.



WATCH  
WINDERS

ROTALIS 3



TECHNICAL DETAILS

- Dimensions (HxWxD): 17 x 33 x 20 cm
- Dimensions (HxWxD): 6.7 x 13 x 7.9 inches
- Weight: 8,5 kg/18.7 lbs

INDIVIDUAL DESIGN

**Exterior**

- Housing of massive wood, sides stainless steel
- Front glass of security glass (ESG clear glass), damped at front

**Interior**

- 3 precision watch winders, each individually programmable
- 3 motors as individual drives
- Data transmission via WLAN
- Power supply via 2 mono cells
- Internal illumination system (LED)



# ROTALIS 15



## TECHNICAL DETAILS

- Dimensions (HxWxD): 88,5 (127 open) x 120 x 20 cm
- Dimensions (HxWxD): 34.8 (50 open) x 47.2 x 7.8 inches
- Weight: 120 kg/264.5 lbs
- The power supply of the watch winder is SELV (Safety Extra Low Voltage) of 12-24V. Our customers will receive a high-quality power supply (110-240V) upon delivery.

## INDIVIDUAL DESIGN

### Exterior

- Precious materials by individual demand
- Security glass
- Fingerprint scanner to open the glass panels
- Yacht-watch, thermometer and barometer

### Interior

- 15 precision watch winders, each individually programmable
- 15 motors as individual drives
- Data transmission via WLAN
- Storage capacity for jewelry, watches, etc.
- Internal illumination system (LED)



WATCH  
WINDERS

# ROTALIS 30



## TECHNICAL DETAILS

- Dimensions (HxWxD): 200 (238 open) x 145 x 20 cm
- Dimensions (HxWxD): 78.7 (93.7 open) x 57 x 7.8 inches
- Weight: 220 kg/485 lbs
- The power supply of the watch winder is SELV (Safety Extra Low Voltage) of 12-24V. Our customers will receive a high-quality power supply (110-240V) upon delivery.

## INDIVIDUAL DESIGN

### Exterior

- Precious materials by individual demand
- 18mm thick bulletproof glass
- Integrated spy glass in the exterior glass plates
- Fingerprint scanner to open the glass panels

### Interior

- 30 precision watch winders, each individually programmable
- 30 motors as individual drives
- Data transmission via WLAN
- Storage capacity for jewelry, watches, etc.
- Internal illumination system (LED)



# ROTALIS 60



## TECHNICAL DETAILS

- Dimensions (HxWxD): 200 (238 open) x 145 x 20 cm
- Dimensions (HxWxD): 78.7 (93.7 open) x 57 x 7.8 inches
- Weight: 250 kg/551 lbs
- The power supply of the watch winder is SELV (Safety Extra Low Voltage) of 12-24V. Our customers will receive a high-quality power supply (110-240V) upon delivery.

## INDIVIDUAL DESIGN

### Exterior

- Precious materials by individual demand
- 18mm thick bulletproof glass
- Integrated spy glass in the exterior glass plates
- Fingerprint scanner to open the glass panels

### Interior

- 60 precision watch winders, each individually programmable
- 60 motors as individual drives
- Data transmission via WLAN
- Internal illumination system (LED)



# WATCH WINDERS

# BESPOKE WATCH WINDER MODULES

Highest precision for your Haute Horlogerie. In order to offer an exclusive framework to your valuable watches, independently of our safes, we are offering you bespoke watch winder modules. For your walk-in wardrobe, cupboards or safe/panic rooms, any number of precision watch winders is possible. The design of the modules is fully custom made matching your requirements. Each drum has its own motor and can be programmed individually to move your watches independently to keep the barrel tension always in the optimum range.



## TECHNICAL DETAILS

- Dimensions: any dimension possible
- The power supply of the watch winder is SELV (Safety Extra Low Voltage) of 12-24V. Our customers will receive a high-quality power supply (110-240V) upon delivery.

## INDIVIDUAL DESIGN

### Exterior

- Exclusive materials according to your requirements
- Security glass, engravings possible
- Yacht-watch, thermometer and barometer upon request

### Interior

- Exclusive materials according to your requirements
- Precision watch winders with individual drives, individually programmable
- Data transmission via WLAN
- Storage capacity for jewelry, watches, etc. upon request
- Internal illumination system (LED)



# THE EFFORTLESS & LUXURIOUS STEWARD CALL SYSTEM

## MING


The wireless, intelligent and instinctive Ming has everything a steward call system needs on board a superyacht, in residential properties, private island resorts, executive boardrooms, exclusive restaurants, etc. by simply pressing a discreet button. The Ming immediately and subtly summons your captain or steward/butler without having to interrupt your conversation or meal. The Ming can be programmed as well as an emergency button to silently alarm your personal security or physician.



### INDIVIDUAL DESIGN


#### Exterior

- Ming chrome-, 24K gold-, rose gold-, platinum-, ruthenium-, or other platings available/surcharge
- Leather: Moore & Giles, founded in 1933, is dedicated to designing and developing the most innovative and luxurious natural leathers for the high-end superyacht, private aviation and residential interior design industries.
- Any bespoke or custom-embossed leather, etc. available/surcharge
- Engravings (initials, name, logo, etc.) on the Ming available/surcharge
- Selected diamonds for the circle of lights around the button available/surcharge
- Please contact us for any further bespoke requirements.



STEWARD  
CALL

MING



### TECHNICAL DETAILS

- Ming Wireless Button
  - Dimensions (HxWx D): 57,5 x 56 x 56 mm
  - Dimensions (HxWxD): 2.26 x 2.20 x 2.20 inches
- Ming Docking Station
  - Dimensions (HxWxD): 78 x 118 x 160 mm
  - Dimensions (HxWxD): 3.07 x 4.65 x 6.30 inches
- Net weight of the Ming Wireless Button: ca. 450g/0.99 lbs



# PROTECTING WHAT YOU LOVE.



- BESPOKE SAFES
- BESPOKE SAFE ROOMS
- WATCH WINDER CABINETS



CONTACT

## WE ARE GLADLY AT YOUR SERVICE.

We know: Buying a safe requires a high level of trust. This trust from our clients is most valuable to us, and we will do our utmost to fully satisfy their requirements and expectations.

Therefore, our personal service by far exceeds buying advice, supply and assembly. If we can do anything for you, please just let us know.

## SUPPLY AND ASSEMBLY

Of course, we will supply our safes all over the world if demanded, and will also install your safe and organize its connection to an existing alarm system. And, of course, your personal instruction with the operation of your new safe is part of our personal service.

## CONTACT DETAILS

STOCKINGER SAFETY FIRST CLASS GMBH  
EICHENSTRASSE 15  
82061 NEURIED/MUNICH | GERMANY  
+49 89 124 138 960  
info@stockinger.com  
stockinger.com

